



KSA
ISO 9001 CERTIFIED

2020년 나라장터 종합쇼핑몰



신뢰의기업

선우라이텍

경기 시흥 옥구천서로237번길 66, 1나 306
Tel. 031-498-5971~2 Fax. 031-498-5976
(2019.12 VER.15)
www.swlightech.com,

발급번호: 제 0015-2020-01446 호



장애인기업 확인서

1. 기 업 명: 선우라이텍
2. 사업자등록번호: 113-06-35281
3. 주 업 종: 전기장비 제조업
4. 대 표 자: 최성태
5. 주 소 (본점): 경기도 시흥시 옥구천서로237번길 66 1나306(정왕동,시화공단)

유효기간: 2020. 02. 27. ~ 2022. 02. 26.

「장애인기업활동 촉진법」 제18조의2제2항 및 같은 법 시행령 제11조의4에 따라 장애인기업에 해당함을 확인합니다.

2020년 02월 06일

중소벤처기업부장관



* 대표자의 사망이나 변경 등으로 장애인기업의 요건에 맞지 않게 되는 등 법 제18조의3제1항 각 호에 해당하는 경우에는 유효기간 이내라도 장애인기업의 확인이 취소될 수 있습니다.
* 이 확인서는 공공구매 종합정보망(www.smpp.go.kr) 을 통해 정보를 확인하고 출력 (2020-04-01 15:28, 선우라이텍)한 확인서입니다.

메탈할라이드 램프

CDM 램프 (세라믹 메탈 할라이드램프)



물품분류번호	물품식별번호	규격명	베이스	단가
■ 39101614	23193780	SWCMLC-70W CDM 70W	E26 E39	22,000
■ 39101614	23191954	SWCMLC-100W CDM 100W	E26 E39	25,500
■ 39101614	23191955	SWCMLC-150W CDM 150W	E39	25,000
■ 39101614	22308147	SWCML-200W CDM 200W	E39	54,000
■ 39101614	23191956	SWCMLC-250W CDM 250W	E39	39,000
■ 39101614	22308148	SWCML-350W CDM 350W	E39	72,000

메탈할라이드 램프

메탈 할라이드 램프



물품분류번호	물품식별번호	규격명	베이스	단가
■ 39101614	21216455	SWML-100W MH 100W	E26 E39	15,000
■ 39101614	21216582	SWML-175W MH 175W	E39	11,500
■ 39101614	21216584	SWML-250W MH 250W	E39	12,500
■ 39101614	21216586	SWML-400W MH 400W	E39	15,000
■ 39101614	21216587	SWML-1000W MH 1000W	E39	48,500



물품분류번호	물품식별번호	규격명	단가
■ 39101614	21640644	SWCMB-70W CDM 70W	21,000
■ 39101614	21640643	SWCMB-100W CDM 100W	22,500
■ 39101614	21640642	SWCMB-150W CDM 150W	26,000
■ 39101614	22341060	SWCMB-200W CDM 200W	26,000
■ 39101614	22682955	SWCMHB-250W CDM 250W	28,500
■ 39101614	22341061	SWCMB-350W CDM 350W	29,500

메탈할라이드 램프용 안정기

메탈할라이드 램프용 안정기



물품분류번호	물품식별번호	규격명	단가
■ 39101614	21207091	SWMB-100W(A) MH 100W	14,000
■ 39101614	21207093	SWMB-175W(B) MH 175W	15,000
■ 39101614	21207095	SWMB-250W(B) MH 250W	16,800
■ 39101614	21207097	SWMB-400W(B) MH 400W	17,700

메탈할라이드 램프용 안정기

메탈할라이드 램프용 안정기















가로등기구나 보안등기구 내에 일체형처럼 장착할 수 있는 안정기입니다.

터널등에 쓰시고자 할 때에는 본 안정기를 채택하시고 터널등이라고 알려주시면 전선끝 단자 처리와 외함에 넣어 터널등기구에 바로 장착할 수 있도록 제작해 드립니다.













물품분류번호	물품식별번호	규격명	단가
■ 39101614	22305649	SWCMB-BT-70W CDM 70W	29,000





물품분류번호	물품식별번호	규격명	베이스		단가
■ 39101614	23048516	SWNHL-50W, NH 50W	E26 E39	 	9,200
■ 39101614	21216589	SWNL-100W, NH 100W	E26 E39	 	9,200
■ 39101614	22682891	SWNHL-150W, NH 150W	E39	 	9,400
■ 39101614	22682892	SWNHL-200W, NH 200W	E39	 	9,800
■ 39101614	21216592	SWNL-250W, NH 250W	E39	 	10,000
■ 39101614	21216593	SWNL-400W, NH 400W	E39	 	12,800









물품분류번호	물품식별번호	규격명		단가
■ 39111801	23048517	SWNHB-50W, NH 50W	 	12,500
■ 39111801	21207100	SWNB-100W, NH 100W	 	14,500
■ 39111801	21207101	SWNB-150W, NH 150W	 	15,200
■ 39111801	22683468	SWNB-200W, NH 200W	 	16,000
■ 39111801	21207102	SWNB-250W, NH 250W	 	18,500
■ 39111801	21207105	SWNB-400W, NH 400W	 	23,000

저전력 고효율 LED등기구 - 35 W

LED 보안등기구 (50W 대체형)



560 X 245 X 110 Ø43 (Ø42.7 암대사용/Ø60.5 주문가능)





물품분류번호	물품식별번호	규격명	단가
■ 39111608	23643677	SWSF-AMOLP-AE35-SAVE, 35W (50W 대체 / 147.5 lm/w)	5000K    220,000
■ 39111608	23694612	SWSF-AMOLP30K-AE35-SAVE, 35W (50W 대체 / 141.6lm/w)	3000K    220,000

저전력 고효율 LED등기구 - 72 W

LED 가로등기구 (100W 대체형)



872 x 340 x 141 Ø60.5 : 암대 / 암깊이 : 170mm







물품분류번호	물품식별번호	규격명	단가
■ 39111608	23643678	SWSL-AMOLP-DW72-SAVE, 72W (100W 대체 / 149.5 lm/w)	5000K    330,000
■ 39111608	23694613	SWSL-AMOLP30K-DW72-SAVE, 72W (100W 대체 / 142.7 lm/w)	3000K    330,000

저전력 고효율 LED등기구 - 105 W

LED 가로등기구 (150W 대체형)






872 x 340 x 141 Ø60.5 : 암대 / 암깊이 : 170mm

물품분류번호	물품식별번호	규격명	단가
■ 39111608	23643676	SWSL-AMOLP-DW105-SAVE, 105W (150W 대체 / 152.5 lm/w)	5000K    440,000
■ 39111608	23694614	SWSL-AMOLP30K-DW105-SAVE, 105W (150W 대체 / 146.3 lm/w)	3000K    440,000

LED 보안등기구



560 X 245 X 110 Ø43 (Ø42.7 암대사용 / Ø60.5 주문가능)





물품분류번호	물품식별번호	규격명	단가
■ 39111608	23360155	SWSF-AMO-AE25, 25W	5000K    220,000

LED 보안등기구 / 서울시 기준 빛공해 방지용 등기구




서울시

560 X 245 X 110 Ø43 (Ø42.7 암대사용 / Ø60.5 주문가능)


물품분류번호	물품식별번호	규격명	단가
■ 39111608	23638812	SWSF-AMO35K-AE50, 50W (서울시 기준 / 빛공해 방지용)	3500K   250,000
■ 39111608	23736902	SWSF-AMO35K2-AE50, 50W (서울시 기준 / 빛공해 방지용)	3500K   250,000

[위 두 등기구의 차이점]

SWSF-AMO35K-AE50














SWSF-AMO35K2-AE50



LED 보안등기구




560 X 245 X 110 Ø43 (Ø42.7 암대사용 / Ø60.5 주문가능)






물품분류번호	물품식별번호	규격명	단가
■ 39111608	23272742	SWSF-MO-AE30, 30W	5000K  장애타입기업  220,000
■ 39111608	23332806	SWSF-AMO-AE40, 40W	5000K   장애타입기업  230,000
■ 39111608	23332807	SWSF-AMO-AE50, 50W	5000K   장애타입기업  230,000
■ 39111608	23625035	SWSF-AMO30K-AE50, 50W	3000K   장애타입기업  220,000



요청시 기본제공



480 X 240 X 90 Ø48 (Ø42.7 암대사용)

물품분류번호	물품식별번호	규격명	단가
■ 39111608	22837484	SWSF-LSAP40, 40W	5700K   280,000
■ 39111608	22837486	SWSF-LSAP50, 50W	5700K    290,000

LED 보안등기구






571 X 258 X 116 Ø43 (Ø42.7 암대사용)

물품분류번호	물품식별번호	규격명	단가
■ 39111608	23640936	SWSF-AMO-DW50, 50W	5000K    240,000






571 X 258 X 116 Ø43 (Ø42.7 암대사용)

물품분류번호	물품식별번호	규격명	단가
■ 39111608	23640937	SWSF-AMO-DW60, 60W	5000K    260,000

LED 보안등기구



545 X 350 X 125 Ø47 / Ø60.5 주문가능

물품분류번호	물품식별번호	규격명	단가
■ 39111608	22934873	SWSF-MO-EL50, 50W	5000K    280,000

LED 가로등기구











872 x 340 x 141 Ø60.5 : 암대 / 암깊이 : 170mm

물품분류번호	물품식별번호	규격명		단가
■ 39111603	23472006	SWSL-AMO-DW100, 100W	5000K   	280,000
■ 39111603	23625288	SWSL-AMO30K-DW100, 100W	3000K   	310,000

LED 가로등기구



872 x 340 x 141 ∅60.5 : 암대 / 암깊이 : 170mm

물품분류번호	물품식별번호	규격명		단가
■ 39111603	23349647	SWSL-AMO-DW120, 120W	5000K   	400,000
■ 39111603	23352578	SWSL-AMO-DW125, 125W	5000K   	400,000
■ 39111603	23625289	SWSL-AMO30K-DW125, 125W	3000K   	340,000

LED 가로등기구



872 x 340 x 141 Ø60.5 : 암대 / 암깊이 : 170mm

물품분류번호	물품식별번호	규격명		단가
■ 39111603	23349648	SWSL-AMO-DW150, 150W	5000K   	420,000
■ 39111603	23625290	SWSL-AMO30K-DW150, 150W	3000K   	354,000






요청시 기본제공

LED 가로등기구








706 X 384 X 140 Ø60.5 : 암대사용 / 암깊이 : 200mm

물품분류번호	물품식별번호	규격명	단가
39111603	23117662	SWSL-MO-LM100, 100W	5000K    400,000



706 X 384 X 140 Ø60.5 : 암대사용 / 암깊이 : 200mm


물품분류번호	물품식별번호	규격명	단가
39111603	23352556	SWSL-AMO-LM120, 120W	5000K   400,000

39111603	23338354	SWSL-AMO-LM150, 150W	5000K    450,000
----------	----------	-----------------------------	---

LED 가로등기구



774.3 x 376.5 x 183.5 Ø60.5 : 암대 / 암깊이 : 150mm

물품분류번호	물품식별번호	규격명		단가
■ 39111603	23472040	SWSL-LM200, 200W	5000K   	650,000
■ 39111603	23638820	SWSL-AMO30K-LM200, 200W	3000K   	500,000

거주로 조명 설비 [60W ~ 100W]

LED 보안등기구 (공원용)



공원, 광장, 육교등에 폴헤드형식으로 설치 가능한 보안등입니다.

630 X 410 Ø78

물품분류번호	물품식별번호	규격명	단가
■ 39111608	23110046	SWSF-PARK1-60W, 60W 공원등 5700K	450,000



공원, 광장, 육교등에 폴헤드형식으로 설치 가능한 보안등입니다.

520 X 700 Ø89.1 앞대장착

물품분류번호	물품식별번호	규격명	단가
■ 39111608	23110047	SWSF-PARK2-60W, 60W 공원등 5700K	450,000

거주로 조명 설비 [60W ~ 100W]

LED 보안등기구 (공원용)



공원, 광장, 육교등에 폴헤드형식으로 설치 가능한 보안등입니다.
60W ~ 100W 까지 사용가능합니다.

620 X 560 Ø105

물품분류번호	물품식별번호	규격명	단가
■ 39111608	23110048	SWSF-PARK3-60W, 60W 공원등 5700K	450,000



공원, 광장, 육교등에 폴헤드형식으로 설치 가능한 보안등입니다.
광원은 상단에 장착이 됩니다.

Ø78 (75mm 암대사용) X D70mm

물품분류번호	물품식별번호	규격명	단가
■ 39111608	23472040	SWSF-PARK8-60W, 60W 공원등 5700K	450,000

거주로 조명 설비 [60W ~ 100W]

LED 보안등기구 (공원용)



공원, 광장, 육교등에 폴헤드형식으로 설치 가능한 보안등입니다.
60W ~ 100W 까지 사용가능합니다.

631 X 631 X 305 Ø76

물품분류번호	물품식별번호	규격명	단가
■ 39111608	23291450	SWSF-PARK7-60W, 60W 공원등 5700K	390,000



거주로 조명 설비 [40W ~ 100W]

LED 보안등기구 (공원용)



공원, 광장, 육교등에 폴헤드형식으로 설치 가능한 보안등입니다.
40W ~ 60W 까지 사용가능합니다.

554 X 377 X 305 Ø76

물품분류번호	물품식별번호	규격명	단가
39111608	23291451	SWSF-PARK6-40W, 40W 공원등 5700K	340,000



공원, 광장, 육교등에 폴헤드형식으로 설치 가능한 보안등입니다.
60W ~ 100W 까지 사용가능합니다.




554 X 499 X 305 Ø76

물품분류번호	물품식별번호	규격명	단가
39111608	23291453	SWSF-PARK6-60W, 60W 공원등 5700K	360,000

LED 투광등기구 (지향각형)



- 60° (30° / 90° 선택 가능)
- 집중조명등 (횡단보도등 집중조명 필요시)



물품분류번호	물품식별번호	규격명	단가
▪ 39111611	23694615	SWFL-MEI-QD50, 50.2W	5000K    250,000




- 집중조명등 (횡단보도등 집중조명 필요시)


물품분류번호	물품식별번호	규격명	단가
▪ 39111611	23557210	SWFL-MEI-QD80, 80W	5000K   계약예정

LED 투광등기구 (지향각형)

- 30 / 60 / 90 선택 가능
- 집중조명등 (횡단보도등 집중조명 필요시)
- 암 부착대 제공




물품분류번호 물품식별번호 규격명 단가

■ 39111611 23427912 SWFL-MEI-HQD100, 100W 5000K  300,000



- 90° (30° / 60° 선택 가능)
- 공원, 육교위, 운동장, 건물조광등 다목적으로 많이 사용되는 투광등기구
- 실내사용가능 (수영장 및 체육시설)




물품분류번호 물품식별번호 규격명 단가


■ 39111611 23371838 SWFL-MEI-QD100, 100W 5000K  310,000

LED 투광등기구(지향각형)


- 90° (30° / 60° 선택 가능)
- 체육시설, 주차장, 운동장, 공원시설



물품분류번호 물품식별번호 규격명 단가

▪ 39111611 23371839 SWFL-MEI-QD150, **150W** 5000K  380,000

- 90° (30° / 60° 선택 가능)
- 육교위, 운동장, 천변 산책로 등






물품분류번호 물품식별번호 규격명 단가

▪ 39111611 23431299 SWFL-MEI-QD200, **200W** 5000K  540,000

LED 투광등기구(지향각형)


- 90° (30° / 60° 선택 가능)
- 실내사용가능






물품분류번호	물품식별번호	규격명	단가
▪ 39111611	23427913	SWFL-MEI-HQD200, 200W 5000K  	520,000




- 60° (30° / 90° 선택 가능)
- 항만접안시설, 운동장등 넓은 면적 조광



물품분류번호	물품식별번호	규격명	단가
▪ 39111611	23371840	SWFL-MEI-QD300, 300W 5000K   	570,000

LED 투광등기구 (지향각형)


- 60° (30° / 90° 선택 가능)
- 넓은 면적과 먼거리 조광시 사용



물품분류번호	물품식별번호	규격명	단가
--------	--------	-----	----

- | | | | |
|------------|----------|-----------------------------|---|
| ▪ 39111611 | 23427914 | SWFL-MEI-QD400, 400W | 5000K   900,000 |
|------------|----------|-----------------------------|---|

- 30° (60° / 90° 선택 가능)
- 체육시설, 경기장등 원거리 조광시 사용




물품분류번호	물품식별번호	규격명	단가
--------	--------	-----	----

- | | | | |
|------------|----------|-----------------------------|---|
| ▪ 39111611 | 23371841 | SWFL-MEI-QD500, 500W | 5000K   980,000 |
|------------|----------|-----------------------------|---|

LED 투광등기구 (지향각형)

- 운동장 부두 접안시설 등



물품분류번호	물품식별번호	규격명	단가
39111611	23371842	SWFL-MEI-QDC500, 500W 5000K	1,180,000




- 30°
- 경기장등 원거리 조광시 사용

물품분류번호	물품식별번호	규격명	단가
39111611	23557211	SWFL-MEI-QD600, 600W 5000K	1,600,000

LED 투광등기구 (지향각형)




- 30°
- 경기장등 원거리 조광시 사용

물품분류번호	물품식별번호	규격명	단가
▪ 39111611	23557212	SWFL-MEI-QD800, 800W	5000K  2,100,000




- 30°
- 경기장등 원거리 조광시 사용




물품분류번호	물품식별번호	규격명	단가
▪ 39111611	23557213	SWFL-MEI-HQD1000, 1000W	5000K  2,600,000


LED 투광등기구(비대칭 지향각형)






- 비대칭 (가로,세로 지향각이 틀림)
- 간접조명으로 눈부심이 적어 경기장에 사용




물품분류번호	물품식별번호	규격명	단가
39111611	23427929	SWFL-HM-ST200, 200W	5000K    1,200,000




- 비대칭 투광기
- 간접조명
- 눈부심이 적다.
- 넓은 부위를 조광할 때 사용

물품분류번호	물품식별번호	규격명	단가
39111611	23427931	SWFL-HM-ST300, 300W	5000K    1,500,000

LED 투광등기구(비대칭 지향각형)




- 비대칭 투광기
- 간접조명
- 눈부심이 적다.
- 넓은 부위를 조광할 때 사용


물품분류번호	물품식별번호	규격명	단가
■ 39111611	23427932	SWFL-HM-ST400, 400W	5000K  1,800,000




- 비대칭 투광기
- 간접조명
- 눈부심이 적다.
- 넓은 부위를 조광할 때 사용

물품분류번호	물품식별번호	규격명	단가
■ 39111611	23427933	SWFL-HM-ST500, 500W	5000K  2,200,000

LED 투광등기구(비대칭 지향각형)





- 비대칭 투광기
- 간접조명
- 눈부심이 적다.
- 넓은 부위를 조광할 때 사용

물품분류번호	물품식별번호	규격명	단가
■ 39111611	23427934	SWFL-HM-ST600, 600W	5000K   2,400,000



- 경기장용
- 스포츠조명

700 X 195 X 495 / 25Kg

물품분류번호	물품식별번호	규격명	단가
■ 39111611	239222607	SWFL-HMSPT-ST800, 800W	5000K   2,900,000

LED 투광등기구(스포츠조명)



- 경기장용
- 스포츠조명



700 X 195 X 495 / 25Kg

물품분류번호	물품식별번호	규격명	단가
■ 39111611	239222606	SWFL-HMSPT-ST1000, 1000W 5000K  	3,100,000



- 경기장용
- 스포츠조명

700 X 195 X 495 / 25Kg

물품분류번호	물품식별번호	규격명	단가
■ 39111611	239222605	SWFL-HMSPT-ST1200, 1200W 5000K  	3,500,000

LED 투광등기구(스포츠조명)






- 일반용
- 경기장용
- 스포츠조명

물품분류번호	물품식별번호	규격명	단가
■ 39111611	23916140	SWFL-HD-STA500, 500W	5700K    1,500,000




- 경기장용
- 스포츠조명

물품분류번호	물품식별번호	규격명	단가
■ 39111611	23916139	SWFL-HD-STA1000, 1000W	5700K    2,900,000




- 일반용
- 경기장용

물품분류번호	물품식별번호	규격명	단가
▪ 39111611	23916149	SWFL-HD-BLO250, 250W	5700K  800,000




- 개별 각도 조절 가능
- 경기장용
- 스포츠조명

물품분류번호	물품식별번호	규격명	단가
▪ 39111611	23916138	SWFL-HD-BLO500, 500W	5700K  1,600,000




- 개별 각도 조절 가능
- 일반용
- 경기장용

물품분류번호	물품식별번호	규격명	단가
39111611	23916147	SWFL-HD-BLO750, 750W	5700K  2,600,000




- 개별 각도 조절 가능
- 경기장용
- 스포츠조명

물품분류번호	물품식별번호	규격명	단가
39111611	23916136	SWFL-HD-BLO1000, 1000W	5700K  2,900,000



- 개별 각도 조절 가능
- 일반용
- 경기장용

물품분류번호	물품식별번호	규격명	단가
■ 39111611	23922610	SWFL-HD-BLO1250, 1250W 5700K	계약예정



∅610 T228mm x H733.3mm (브라켓 세웠을 때) / 30.5Kg / 최대관등거리 150m





물품분류번호	물품식별번호	규격명	단가
■ 39111611	23694616	SWFL-BRE-CC1000, 1000W 5000K	계약예정
■ 39111611	23694617	SWFL-BRE-CC1200, 1200W 5000K	계약예정

LED 투광등기구 - 타워폴 및 경기장용



원형 후드로 변경 가능


안정기함 별매 / 543 X 541.5 X 436.5 / 20Kg / 최대관등거리 150m

물품분류번호	물품식별번호	규격명	단가
■ 39111611	23813741	SWFL-HD-OCTA1200, 1200W 5000K 	3,800,000
■ 39111611	23813742	SWFL-HD-OCTA1000, 1000W 5000K 	3,500,000
■ 39111611	23813743	SWFL-HD-OCTA800, 800W 5700K 	3,200,000
■ 39111611	23859967	SWFL-HD-OCTA600, 600W 5700K 	2,700,000

LED 투광등기구(고천정형 / 체육시설)



- 실내체육관
- 강당




물품분류번호

물품식별번호


규격명

단가

■ 39111611
 23443706
 SWFL-HC-FX120, **120W**
 5000K
 
 400,000



- 실내체육관
- 강당




물품분류번호

물품식별번호

규격명


단가

■ 39111611
 23427926
 SWFL-HC-FX150, **150W**
 5000K
 
 450,000

LED 투광등기구(**고천정형 / 체육시설**)



- 실내체육관
- 강당



물품분류번호	물품식별번호	규격명	단가
■ 39111611	23427927	SWFL-HC-FX200, 200W 5000K	500,000



- 지향각형
- 일반형
- 천정 / 벽부 사용


물품분류번호	물품식별번호	규격명	단가
■ 39111611	23371835	SWFL-IK-100, 100W 5000K	310,000



LED 투광등기구 (지향각형)



- 확산갓 내장
- 천정 펜던트
- 벽부거치형



물품분류번호

물품식별번호

규격명

단가

■ 39111611

23472041

SWFL-HC-FIK100, **100W**


5000K



280,000



- 확산갓 내장
- 천정 펜던트
- 벽부거치형



물품분류번호

물품식별번호

규격명

단가

■ 39111611

23431311

SWFL-HC-FIK150, **150W**

5000K







300,000

LED 투광등기구 (지향각형)



- 지향각형
- 실내용




물품분류번호	물품식별번호	규격명	단가
■ 39111611	23486159	SWFL-HC-BH100, 100W	5000K   280,000
■ 39111611	23486161	SWFL-HC-BH150, 150W	5000K   300,000

LED 터널등기구



- 8 ~ 10 kg
- 열방출이 용이함.




640.8 X 370.8 X 144.7 (브라켓 제외시)

물품분류번호	물품식별번호	규격명	단가
39111611	23641706	SWTN-AMO45K-HJ100, 100W 4500K   	300,000





-
-

640.8 X 370.8 X 144.7 (브라켓 제외시)

물품분류번호	물품식별번호	규격명	단가
39111611	23641707	SWTN-AMO45K-HJ200, 200W 4500K   	400,000





- 50W POV 모듈 사용
- 오스람 칩 사용
- 각도 조절용이
- 교량 및 지하차도 사용

물품분류번호	물품식별번호	규격명	단가
■ 39111611	23367132	SWTN-MEI-QD50, 50W	5000K   250,000



- 50W POV 모듈 2EA 사용
- 오스람 칩 사용
- 각도 조절용이
- 교량 및 지하차도 사용




물품분류번호	물품식별번호	규격명	단가
■ 39111611	23367738	SWTN-MEI-QD100, 100W	5000K   310,000

LED 터널등기구



- 8 ~ 10 kg
- 열방출이 용이함.




640.8 X 370.8 X 144.7 (브라켓 제외시)

물품분류번호	물품식별번호	규격명	단가
■ 39111611	23367128	SWTN-AMO-LM100, 100W 5000K	   380,000



- 8 ~ 10 kg
- 열방출이 용이함.




640.8 X 370.8 X 144.7 (브라켓 제외시)

물품분류번호	물품식별번호	규격명	단가
■ 39111611	23367130	SWTN-AMO-LM150, 150W 5000K	   400,000



- 기존 앵커를 그대로 사용가능.
- 8 ~ 10 kg
- 열방출이 용이함.

640.8 X 370.8 X 144.7 (브라켓 제외시)

물품분류번호	물품식별번호	규격명	단가
39111611	23367131	SWTN-AMO-LM200, 200W 5000K   	500,000

물품분류번호	물품식별번호	규격명	단가
--------	--------	-----	----

도로조명 설비 - 방전등용

가로등 기구



물품분류번호	물품식별번호	규격명		단가
■ 39111611	22327221	SW-149, 세종로 대형 400W 이하	방전등용 MH, NH	67,000

도로조명 설비 - 방전등용

보안등 기구 / 거주로조명설비



681 X 292 X 176 / Ø52 X D100mm

물품분류번호	물품식별번호	규격명		단가
■ 39111611	22425501	SW-SF-320, CDM 70-150W	방전등용 MH, NH	178,200



750 X 425 X 180

물품분류번호	물품식별번호	규격명	단가
■ 39111611	22305658	SW-TL-204, 70~400W	방전등용 MH, NH 235,000

물품분류번호	물품식별번호	규격명	단가
■			